



max. 120 kg/265 lbs

FLIEGUAN-BATTERY- HANDY FXAH-120-GRABO-GREENLINE



FXAH-120-GRABO-GREENLINE



FXAH-120-GRABO-GREENLINE with FXAH-120-SOLO-Set



FXAH-120-GRABO-GREENLINE with FXAH-120-DUO-Set, bottom right: additionally with wheel set VPH-RS

For quick and ergonomic lifting, moving and laying of absorbent concrete slabs, natural stones, tiles, glass and other absorbent building materials.

BATTERY-HANDY is placed on building materials, switched on, and then sucks onto the surface without any downward pressure. The vacuum is released again by pressing another switch.

- Considerably easier laying, as there is no need to grip on the side, especially for the last slab.
- Less risk of edge damage, as laying is more precise and with a better view.
- Light and handy.
- Ergonomic arrangement of the operating switches.
- Powered by a rechargeable 14.8 V lithium-ion battery (exchangeable battery concept).
- Battery life: approx. 1.5 to 2 h in continuous operation, in normal operation up to one day.
- Increased safety through battery status LED.
- Charging time approx. 90 – 120 min.

Scope of delivery:

FXAH-120-GRABO-GREENLINE: Vacuum hand laying device, Charger (multi-range voltage 110 V to 240 V, with interchangeable plug EU, US, UK, CN)
1 x lithium-ion battery, spare rubber seal and replacement filter.
Supplied in lightweight soft case.

FXAH-120-GRABO-PRO-LIFTER-GREENLINE: Vacuum hand laying device, Charger (multi-range voltage 110 V to 240 V, with interchangeable plug EU, US, UK, CN)
1 x lithium-ion battery, carrying strap, spare rubber seal and replacement filter.
Supplied in a high-quality, waterproof plastic case.

FXAH-120-GRABO-PRO-LIFTER-GREENLINE:

With integrated pressure switch. As soon as the required pressure is reached, the pump switches off. When the vacuum drops, the pump switches on again.
With digital manometer for displaying negative pressure or load capacity.

VPH-RS: Lay slabs even more easily and conveniently on large wheels – quickly and efficiently. Easy attachment to VPH or FXAH-120-DUO-Set.

New Design

FXAH-120-SOLO-Set: Hand carrying handle with adapter for one person. For ergonomic moving and laying of building materials. Release operation via foot pedal.

FXAH-120-DUO-Set: Hand carrying handle with adapter for two persons. For ergonomic moving and laying of building materials. Release operation via foot pedal.



Type	Dimensions L x W mm (in)	Battery Capacity Ah	Type of Drive electric/ Battery kW	Dead Weight kg (lbs)	Working Load Limit/WLL kg (lbs)	Order-Number
FXAH-120-GRABO-GREENLINE	300 x 180 (11.81 x 7.09)	2.2	0.0016	2.5 (5.51)	120 (265)	58500016
FXAH-120-GRABO-PRO-LIFTER-GREENLINE	300 x 180 (11.81 x 7.09)	2.2	0.0016	5.5 (12)	120 (265)	58500014



FXAH-DUO-CB



FXAH-RS-CB



FXAH-EL-CB

5

FXAH-DUO-CB: Carrying handle for 2 persons with CB crossbar and 2 adapters for FXAH-120. For ergonomic moving and laying of larger or up to two slabs/tiles. Release process via foot pedal cross strut. Adjustable working width from 200 mm to 800 mm.

FXAH-RS-CB: Convenient and easy laying of slabs on large wheels. Simple attachment of 2 FXAH-120 to VPH-RS wheel set with CB traverse, 2 adapters and Bowden cable for remote release. Adjustable working width from 200 mm to 800 mm.

FXAH-EL-CB: Small and lightweight mechanical lifter for easy laying of larger or up to two slabs/tiles. Attachment of 2 FXAH to EASYLIFT EL with CB traverse, 2 adapters and Bowden cable for remote release. Adjustable working width from 200 mm to 800 mm.

Only 2 FXAH-120 of the same type can be attached to the CB spreader beam (FXAH-120-GRABO-GREENLINE or FXAH-120-GRABO-PRO-LIFTER-GREENLINE).

Accessories:

Type	Description	Working Width mm (in)	Dead Weight kg (lbs)	Working Load Limit/WLL kg (lbs)	Order-Number
FXAH-120-SOLO-Set	Hand carry handle with adapter for one person (also suitable for NEMO GRABO)		4.2 (9.26)	120 (265)	48500055
FXAH-120-DUO-Set	Hand carry handle with adapter for two persons (also suitable for NEMO GRABO)		10 (22)	120 (265)	48500054
ALX-120-HG	Additional handle for the ALX-120-SOLO-Set and FXAH-120-SOLO-Set carry handles		0.4 (0.88)	120 (265)	42600206
VPH-RS	Wheel Set		7.6 (17)	150 (331)	42710072
VPH-RS	Wheel Set New design Available from Q2/2024		7 (15)	150 (331)	42710214
FXAH-DUO-CB	Carrying handle FXAH-120-DUO with CB traverse and 2 adapters for FXAH-120. Available from Q2/2024	200 – 800 (7.87 – 31.49)	15 (33)	120 (265)	48500072
FXAH-RS-CB	VPH-RS wheel set with CB traverse and 2 adapters for FXAH-120, incl. Bowden cable. Available from Q2/2024	200 – 800 (7.87 – 31.49)	24 (53)	150 (331)	48500065
FXAH-EL-CB	EASYLIFT EL-SDH with CB traverse and 2 adapters for FXAH-120, incl. Bowden cable. Available from Q2/2024	200 – 800 (7.87 – 31.49)	24 (53)	150 (331)	48500071
FXAH-DUO-CB Retrofit kit	CB crossbar and 2 adapters for FXAH-120. For retrofitting to FXAH-120-DUO carry handle Available from Q2/2024	200 – 800 (7.87 – 31.49)	9 (20)	120 (265)	48500075
FXAH-RS-CB Retrofit kit	CB crossbar and 2 adapters for FXAH-120, incl. Bowden cable. For retrofitting to VPH-RS wheel set Available from Q2/2024	200 – 800 (7.87 – 31.49)	9 (20)	150 (331)	48500076
FXAH-EL-CB Retrofit kit	CB crossbar and 2 adapters for FXAH-120, incl. Bowden cable. For retrofitting to EASYLIFT EL-SDH. Available from Q2/2024	200 – 800 (7.87 – 31.49)	10 (22)	150 (331)	48500077

Spare Parts:

Type	Description	Battery Capacity Ah	Working Voltage V	Electric Voltage / AC (50 Hz) V	Dead Weight kg (lbs)	Working Load Limit/WLL kg (lbs)	Order-Number
FXAH-120-SOLO	Hand carry handle for one person, without adapter for FXAH.				1.6 (3.53)	120 (265)	48500045
FXAH-120-DUO	Hand carry handle for two people, without adapter for FXAH.				7.3 (16)	120 (265)	48500044
FXAH-120-Battery-14,8V/2,2Ah	Lithium-ion battery for FXAH-120	2.2	14.8		0.260 (0.57)		24200144
FXAH-120-LG-110-240V/14,8V	Battery charger for FXAH-120 (with interchangeable plug EU, US, UK, CN)			110 – 240	0.1 (0.22)		24200159
FXAH-120-ED	Replacement seal for FXAH-120						48500037
FXAH-120-Filter	for FXAH-120 (2 pieces)						48500038

011223 Technical data contained in this catalogue can be modified without prior notice in the interest of progress. Illustrations are exemplary and non-binding. No liability accepted for any misprints, mistakes and errors. *1 Details in the general sales conditions at the end of the catalogue or at www.probst-handling.com/en/gtc.